



15,000 km or 12 Months Service Schedule

TF Series (RT) - 2.5L (4JK1) & 3.0L (4JJ1) - Diesel



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No. :		Date :		Model :													
Customer Name:		VIN :		KM Reading:													
Service Advisor :		Authorisation No:		Technician (Print) :													
I = Inspection-after inspection clean and correct, or replace as necessary		SERVICE INTERVAL every KMs (x1000)		15	30	45	60	75	90	105	120	135	150	165	180		
R = Replace A = Adjust T = Torque		or MONTHS, whichever occurs first		12	24	36	48	60	72	84	96	108	120	132	144		
L = Lubricate C = Clean S = Service		Labour hrs.		1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	OK	NOT OK
ENGINE	1	Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel filter		R	R	R	R	R	R	R	R	R	R	R	R		
	3	Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hrs for replacement		R	R	R	R	R	R	R	R	R	R	R	R		
	4	Fuel sedimentor for presence of water		I	I	I	I	I	I	I	I	I	I	I	I		
	5	Fuel leakage at tank, cap and pipes		I	I	I	I	I	I	I	I	I	I	I	I		
	6	Air filter element (l & R) and all air cleaner hose fitments for tightness (l)		I	R	I	R	I	R	I	R	I	R	I	R		
	7	Valve clearances		-	-	-	A	-	-	-	A	-	-	-	A		
	8	All engine drive belts for tension and damage and check pulley condition		I	I	I	I	I	I	I	I	I	I	I	I		
	9	Run engine through operating range & check for excessive smoke		I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)		I	I	I	I	I	I	I	I	I	I	I	I		
	11	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)		I	I	I	I	R	I	I	I	I	I	R	I		
	12	Radiator core (check for foreign objects) and fan operation		I	I	I	I	I	I	I	I	I	I	I	I		
	13	Exhaust system for leaks and mountings for tightness or damage		I	I	I	I	I	I	I	I	I	I	I	I		
	14	All hoses & pipes in engine compartment for tightness or damage		I	I	I	I	I	I	I	I	I	I	I	I		
SERVICE BRAKE	15	Brake pedal function, travel and free play		I	I	I	I	I	I	I	I	I	I	I			
	16	Brake fluid level		I	I	I	I	I	I	I	I	I	I	I			
	17	Brake fluid - Add 0.3 hrs		I	R	I	R	I	R	I	R	I	R	I	R		
	18	Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)		I	I	I	I	I	I	I	I	I	I	I	I		
CLUTCH	19	Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)		I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
	20	Brake pipes & hoses for leaks, loose connections or damage		I	I	I	I	I	I	I	I	I	I	I	I		
	21	Clutch pedal function, travel and free play & fluid leaks		I	I	I	I	I	I	I	I	I	I	I	I		
TRANS. & TRANSFER CASE	22	Clutch fluid level		I	I	I	I	I	I	I	I	I	I	I			
	23	Clutch fluid - Add 0.1 hrs		I	R	I	R	I	R	I	R	I	R	I	R		
	24	Manual transmission fluid-add 0.3 hrs for replacement		R	I	I	R	I	I	R	I	I	R	I	I		
PROPSHAFT	25	Automatic transmission fluid-add 0.3 hrs for replacement		I	I	I	I	I	I	I	I	I	I	I			
	26	Transfer case fluid-add 0.2 hrs for replacement for 4x4		R	I	I	R	I	I	R	I	I	R	I	I		
	27	Universal joints & sliding sleeve #		I	L	I	L	I	L	I	L	I	L	I	L		
FRONT/ REAR AXLE	28	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear		I	I	I	I	I	I	I	I	I	I	I			
	29	Front axle fluid *- add 0.1 hrs for replacement on 4x4		R	I	I	I	I	I	R	I	I	I	I			
	30	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4		R	I	I	I	I	I	R	I	I	I	I			
	31	Rear axle fluid (without limited slip) - add 0.3 hrs for replacement		I	I	I	I	I	I	R	I	I	I	I			
	32	Rear axle fluid (with limited slip) - add 0.1 hrs for replacement		R	I	I	R	I	I	R	I	I	R	I	I		
	33	Shift on the fly		I	I	I	I	I	I	I	I	I	I	I	I		
	34	All axle shaft and housing for distortion or damage		I	I	I	I	I	I	I	I	I	I	I	I		
STEERING	35	Front drive axle CV joints, condition of rubber dust covers		I	I	I	I	I	I	I	I	I	I	I			
	36	Steering wheel play and function		I	I	I	I	I	I	I	I	I	I	I			
	37	Power steering fluid		I	I	I	R	I	I	I	R	I	I	I	R		
PARKING BRAKE	38	Steering rack and ball joint rubber boots		I	I	I	I	I	I	I	I	I	I	I			
	39	Wheel alignment inspection (to be offered to customer)		Recommended every service-cost for customer's account													
CHASSIS & SUSPENSION	40	Parking brake function - lever travel & ratchet for damage		I	I	I	I	I	I	I	I	I	I	I			
	41	Parking brake cables for looseness or damage		I	I	I	I	I	I	I	I	I	I	I			
	42	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms		I	I	I	I	I	I	I	I	I	I	I			
	43	Shock absorbers for leaks and looseness		I	I	I	I	I	I	I	I	I	I	I			
WHEELS	44	Fox Shock Absorbers- Remove, Service & Refit - Artic Models only - Add 2.0 hrs		-	-	-	-	-	-	S	-	-	-	-			
	45	Leaf/coil springs for damage		I	I	I	I	I	I	I	I	I	I	I			
	46	Cab mountings for looseness and damage		I	I	I	I	I	I	I	I	I	I	I			
	47	Tyre Pressure - Check and correct (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I			
	48	Inspect tyres & rims for damage (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I			
	49	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		T	T	T	T	T	T	T	T	T	T	T	T		
	50	Wheel bearing (front & rear) - Inspect for bearing play		I	I	I	I	I	I	I	I	I	I	I			
ELECTRICAL EQUIPMENT	51	Front wheel bearing grease and oil seal - Add 1.1 hrs for replacement (4x2)		I	I	I	R	I	I	I	R	I	I	I	R		
	52	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)		I	I	I	R	I	I	I	R	I	I	I	R		
	53	Vehicle systems - Check all ECUs for DTCs & reset service interval*		I	I	I	I	I	I	I	I	I	I	I			
	54	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309		Attach report to Job Card at every service interval													
	55	Starter and alternator function / output		I	I	I	I	I	I	I	I	I	I	I	I		
	56	Battery electrolyte level and specific gravity*		I	I	I	I	I	I	I	I	I	I	I	I		
BODY	57	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers		I	I	I	I	I	I	I	I	I	I	I			
	58	Remote key battery*		-	R	-	R	-	R	-	R	-	R	-	R		
	59	Airbag system and Airbag warning light, visual inspection		I	I	I	I	I	I	I	I	I	I	I			
	60	Seatbelts function and damage		I	I	I	I	I	I	I	I	I	I	I			
SAFETY	61	Inspect chassis and body for corrosion - Complete Inspection Sheet		Attach copy of Sheet to Job Card at every service interval													
	62	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate		I	L	I	L	I	L	I	L	I	L	I	L		
	63	Pollen filter*		I	R	I	R	I	R	I	R	I	R	I	R		
TESTING	64	Air conditioner drain pipe for drainage		I	I	I	I	I	I	I	I	I	I	I			
	65	Check for open RECALLS or SERVICE CAMPAIGNS		Attach copy of IVH to Job Card at every service interval													
	66	Road Test		I	I	I	I	I	I	I	I	I	I	I			

* Where fitted
where grease nipples are fitted.

Customer Signature

Date

Technician Signature

I was informed of the service cost & additional items that needs attention.

I hereby confirm that all items have been checked and rectified where required.

Attach one copy to Customer's Invoice
Attach one copy to Job Card

Updated. Oct 2023
Document No.
4JK1/4J1-2.5/3.0

SERVICE SCHEDULE FOR VEHICLES WITH MILEAGE HIGHER THAN 180 000 KMs or older than 144 months (12 years)

15,000 km or 12 Months Service Schedule
TF Series (RT) - 2.5L (4JK1) & 3.0L (4JJ1) - Diesel



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.: **Date:** **Model:**

Customer Name: **VIN:** **KM Reading:**

Service Advisor: **Authorisation No.:** **Technician (Print):**

		SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first	195	210	225	240	255	270	285	300	315	330	345	360	OK	NOT OK	
			1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8			
ENGINE	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R			
	2	Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R			
	3	Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hrs for replacement	R	R	R	R	R	R	R	R	R	R	R	R			
	4	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I			
	5	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I			
	6	Air filter element (I & R) and all air cleaner hose fittings for tightness (I)	I	R	I	R	I	R	I	R	I	R	I	R	I		
	7	Valve clearances	-	-	-	A	-	-	-	A	-	-	-	A			
	8	All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	I	I	I	I	I	I	I			
	9	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I			
	10	Coolant system for leaks (press.test radiator & cap) & check coolant concentration (50% gly.)	I	I	I	I	I	I	I	I	I	I	I	I			
	11	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)	I	I	R	I	I	I	I	R	I	I	I	I			
	12	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I			
	13	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I			
	SERVICE BRAKE	15	Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I			
16		Brake fluid level	I	I	I	I	I	I	I	I	I	I	I				
17		Brake fluid - Add 0.3 hrs	I	R	I	R	I	R	I	R	I	R	I	R			
18		Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I			
CLUTCH	19	Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A				
	20	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I				
	21	Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I				
TRANS. & TRANSFER CASE	22	Clutch fluid level	I	I	I	I	I	I	I	I	I	I	I				
	23	Clutch fluid - Add 0.1 hrs	I	R	I	R	I	R	I	R	I	R	I	R			
	24	Manual transmission fluid-add 0.3 hrs for replacement	R	I	I	R	I	R	I	R	I	R	I	R			
PROPSHAFT	25	Automatic transmission fluid-add 0.3 hrs for replacement	I	I	I	I	I	I	I	I	I	I	I				
	26	Transfer case fluid-add 0.2 hrs for replacement for 4x4	R	I	I	R	I	R	I	R	I	R	I	R			
	27	Universal joints & sliding sleeve #	I	L	I	L	I	L	I	L	I	L	I	L			
FRONT/ REAR AXLE	28	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I				
	29	Front axle fluid *- add 0.1 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	R	I	I	I			
	30	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	I	R	I	I			
	31	Rear axle fluid (without limited slip) - add 0.3 hrs for replacement	I	R	I	I	I	I	I	I	I	R	I	I			
	32	Rear axle fluid (with limited slip) - add 0.1 hrs for replacement	R	I	I	R	I	R	I	R	I	R	I	R			
	33	Shift on the fly	I	I	I	I	I	I	I	I	I	I	I	I			
	34	All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I			
STEERING	35	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I				
	36	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I				
	37	Power steering fluid	I	I	I	R	I	I	I	R	I	I	I	R			
PARKING BRAKE	38	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I				
	39	Wheel alignment inspection (to be offered to customer)	Recommended every service- cost for customer's account														
CHASSIS & SUSPENSION	40	Parking brake function - lever travel & ratchet for damage	I	I	I	I	I	I	I	I	I	I	I				
	41	Parking brake cables for looseness or damage	I	I	I	I	I	I	I	I	I	I	I				
	42	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I				
	43	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I				
WHEELS	44	Fox Shock Absorbers- Remove, Service & Refit - Artic Models only - Add 2.0 hrs	-	S	-	-	-	-	-	-	S	-	-				
	45	Leaf/coil springs for damage	I	I	I	I	I	I	I	I	I	I	I				
	46	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I				
	47	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I				
	48	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I				
	49	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T				
	50	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I				
ELECTRICAL EQUIPMENT	51	Front wheel bearing grease and oil seal - Add 1.1 hrs for replacement (4x2)	I	I	I	R	I	I	I	R	I	I	I	R			
	52	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)	I	I	I	R	I	I	I	R	I	I	I	R			
	53	Vehicle systems - Check all ECUs for DTCs & reset service interval*	I	I	I	I	I	I	I	I	I	I	I				
	54	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309	Attach report to Job Card at every service interval														
	55	Starter and alternator function / output	I	I	I	I	I	I	I	I	I	I	I				
	56	Battery electrolyte level and specific gravity*	I	I	I	I	I	I	I	I	I	I	I				
BODY	57	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I				
	58	Remote key battery*	-	R	-	R	-	R	-	R	-	R	-	R			
	59	Airbag system and Airbag warning light, visual inspection	I	I	I	I	I	I	I	I	I	I	I				
	60	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I				
SAFETY	61	Inspect chassis and body for corrosion - Complete Inspection Sheet	Attach copy of Sheet to Job Card at every service interval														
	62	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate	I	L	I	L	I	L	I	L	I	L	I	L			
	63	Pollen filter*	I	R	I	R	I	R	I	R	I	R	I	R			
TESTING	64	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I				
	65	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval														
	66	Road Test	I	I	I	I	I	I	I	I	I	I	I				

* Where fitted
 # where grease nipples are fitted.

<p>Customer Signature _____</p> <p>Date _____</p>	<p>Technician Signature _____</p> <p>I hereby confirm that all items have been checked and rectified where required.</p>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align:center">Updated Oct 2023</td> </tr> <tr> <td style="text-align:center">Document No. 4JK1/4JJ1-2.5/3.0</td> </tr> </table>	Updated Oct 2023	Document No. 4JK1/4JJ1-2.5/3.0
Updated Oct 2023				
Document No. 4JK1/4JJ1-2.5/3.0				

I was informed of the service cost & additional items that needs attention.
 Attach one copy to Customer's Invoice
 Attach one copy to Job Card

Corrosion Inspection Sheet
TF Series (RT) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage
repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP




AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
TF Series (RT) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage
repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP





AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
TF Series (RT) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP

AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES

